


M 1:100



242
542

- maximum free fall height: 150 cm

- essential protective area
(DIN EN 1176): 28m²



- recommended ground surface:
40cm of 2/8mm pea gravel
for fall protection, coarse sand,
wood chips or HIC- tested synthetics.



EN 1176

28.09.2017

i.A. T. H. 2



ASSEMBLY DRAWING


Spiel-Bau GmbH
Alte Weinberge 21 - D-14776 Brandenburg / Havel
Tel.: 03381 / 26 14 0 - Fax.: 03381 / 26 14 18

Bearbeiter: Hector Roca

Datum: 10.07.2017


Page: 1/3

Spielkombination Radewege
Order-No.: 2.0160-E-en



Foundation: In-situ concrete C25/30

- Posts 1 to 8:
each 40x40x40 cm look at detail a-E)
- Climbing pole / anchor:
each 40x40x40 cm look at detail c)
- Ramp and safty rope:
each 40x40x40 cm look at detail e)



713 099334

EN 1176

28. 09. 2017

i. A. T. H.


Foundation detail - post a-E)
Scale 1:25

Playing surface
marked on posts

Fall protection

Subsoil

In-situ concrete C25/30
40x40x40 cm



ASSEMBLY DRAWING

Bearbeiter: Hector Roca


Datum: 10.07.2017

Page: 2/3



Spiel-Bau GmbH
Alte Weinberge 21 - D-14776 Brandenburg / Havel
Tel.: 03381 / 26 14 0 - Fax.: 03381 / 26 14 18

Spielkombination Radewege
Order-No.: 2.0160-E-en

Foundation detail e)
Ramp and safety rope
Scale 1 / 25



Foundation detail - climbing pole/ anchor c)
Scale 1:25



713099334

EN 1176

28.09.2017

J. A. T. Ho



ASSEMBLY DRAWING

Spiel-Bau GmbH
Alte Weinberge 21 - D-14776 Brandenburg / Havel
Tel.: 03381 / 26 14 0 - Fax.: 03381 / 26 14 18

Bearbeiter: Hector Roca

Datum: 10.07.2017

Page: 3/3

Spielkombination Radewege
Order-No.: 2.0160-E-en